


INDUSQUIP MARKETING CC



Y SERIES MEDIUM SIZE HIGH VOLTAGE 3 PHASE ASYNCHRONOUS MOTOR IP23 PROTECTION, INSULATION CLASS F, 11 000 VOLT, 50HZ




Y SERIES MOTOR OVERALL AND MOUNTING DIMENSIONS

Frame No.	Poles	Mounting Dimensions									Overall Dimensions								
		A	B	C	D	E	F	G	H	K	AC	AD	HD	L	A2	A1	B1	B2	H1
450	4,6	800	1120	335	110	210	28	100	450	35	600	1030	1400	2160	1000	155	500	1810	35
500	4	900	1250	475	120	210	32	109	500	42	660	1090	1560	2420	1120	165	500	1810	35
	6,8,10				130	250	119	2010											
560	4	1000	1400	500	150	250	36	138	560	42	750	1160	1700	2670	1240	195	600	2210	40
	6,8,10,12				160	300	147	2010											
630	4	1120	1600	530	170	300	40	157	630	48	830	1240	1930	3100	1400	255	640	2410	53
	6,8,10,12				180	45	165	2210											

INDUSQUIP MARKETING CC



YKS SERIES MEDIUM SIZE HIGH VOLTAGE 3 PHASE ASYNCHRONOUS MOTOR IP54 PROTECTION, WATER/AIR COoling, INSULATION CLASS F, 11 000 VOLT, 50HZ




YKS SERIES MOTOR OVERALL AND MOUNTING DIMENSIONS

Frame No.	Poles	Mounting Dimensions									Overall Dimensions								
		A	B	C	D	E	F	G	H	K	AC	AD	HD	L	A2	A1	B1	B2	H1
450	4,6	800	1120	335	110	210	28	100	450	35	600	1030	1400	2160	1000	155	500	1810	35
500	4	900	1250	475	120	210	32	109	500	42	660	1090	1560	2420	1120	165	500	1810	35
	6,8,10				130	250	36	119											
560	4	1000	1400	500	150	250	40	138	560	42	750	1160	1700	2670	1240	195	600	2210	40
	6,8,10,12				160	300	40	147											
630	4	1120	1600	530	170	300	45	157	630	48	830	1240	1930	3100	1400	255	640	2410	53
	6,8,10,12				180	300	45	165											

INDUSQUIP MARKETING CC



**YKK SERIES MEDIUM SIZE HIGH VOLTAGE 3 PHASE ASYNCHRONOUS MOTOR
IP54 PROTECTION, AIR/AIR COOLING, INSULATION CLASS F, 11 000 VOLT, 50HZ**



YKK SERIES MOTOR OVERALL AND MOUNTING DIMENSIONS

Frame No.	Poles	Mounting Dimensions									Overall Dimensions								
		A	B	C	D	E	F	G	H	K	AC	AD	HD	L	A2	A1	B1	B2	H1
450	4,6	800	1120	335	110	210	28	100	450	35	600	1030	1400	2355	1000	155	500	1810	35
500	4	900	1250	475	120	210	32	109	500	42	660	1090	1560	2590	1120	165	500	1810	35
	6,8,10				130	250												119	
560	4	1000	1400	500	150	250	36	138	560	42	750	1160	1700	2850	1240	195	600	2210	40
	6,8,10,12				160	300												147	
630	4	1120	1600	530	170	300	40	157	630	48	830	1240	1930	2935	1400	255	640	2410	53
	6,8,10,12				180	45												165	